3 (Sem-3/CBCS) MAT HC 3

straight line 1202 one of the (C202 ni bleh) built (Co) (iv) If the axes are rectangular, find the

MATHEMATICS

(Honours)

Paper: MAT-HC-3036

(Analytical Geometry)

0 = b + sort + Full Marks: 80

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions: 1×10=10
 - (i) What is the nature of the conic represented by

$$4x^2 - 4xy + y^2 - 12x + 6y + 9 = 0$$
?

(ii) Define skew lines. S hiopingo

(iii) Under what condition a to reduce later

 $ax^{2} + 2hxy + by^{2} + 2gx + 2fy + c = 0$ may represents a pair of parallel straight lines?

- (iv) If the axes are rectangular, find the direction cosines of the normal to the plane x + 2y 2z = 9.
- (v) Write down the conditions under which the general equation of second degree $ax^2 + by^2 + cz^2 + 2ux + 2vy + 2wz + d = 0$ represents a sphere.
- (vi) If $\frac{x}{l} = \frac{y}{m} = \frac{z}{n}$ is a generator of the cone represented by the homogeneous equation f(x, y, z), then what is the value of f(l, m, n)?

The figures in the margin indicate

(vii) What is meant by diametral plane of a conicoid?

- when the origin is transferred to the point (a, b).
- (ix) Find the point on the conic $\frac{8}{r} = 3 \sqrt{2}\cos\theta$ whose radius vector is 4.
 - (x) What is the polar equation of a circle when the pole is at the centre?
- 2. Answer the following questions: 2×5=10
 - (a) Write down the equation to the cone whose vertex is the origin and which passes through the curve of intersection of the plane lx + my + nz = p and the surface $ax^2 + by^2 + cz^2 = 1$.
 - (b) Transform the equation $x^2 y^2 = a^2$ by taking the perpendicular lines y x = 0 and y + x = 0 as coordinate axes.

- A variable plane is at a constant distance p from the origin and meets the axes, which are rectangular in A, B, C. Through A, B, C planes are drawn parallel to the coordinate planes, show that locus of their point of intersection is given by $x^{-2} + y^{-2} + z^{-2} = p^{-2}$.
- Answer the following questions: 10×4=40
 - Find the point of intersection of the (a) lines represented by the equation $ax^2 + 2hxy + by^2 + 2gx + 2fy + c = 0$
 - (b) Show that the equation $9x^2 - 24xy + 16y^2 - 18x - 101y + 19 = 0$ represents a parabola and it can be reduced to the standard form $Y^2 = 3X$. Find the coordinates of the vertex and the focus.

- (c) Prove that the sum of the reciprocals of two perpendicular focal chords of a conic is constant.
 - Show that the ortho-centre of the triangle formed by the $ax^2 + 2hxy + by^2 = 0$ and lx + my = 1 is given by $\frac{x}{l} = \frac{y}{m} = \frac{a+b}{am^2 - 2hlm + bl^2}$
- (e) Find the condition that the plane lx + my + nz = p may touch the conicoid $ax^2 + by^2 + cz^2 = 1$. Verify that the plane 2x-2y+8z=9 touches the ellipsoid $0 = \left(\frac{1}{x^2} + \frac{1}{2y^2} + 3z^2\right) = 9.$
 - Show that the shortest distance (f) between any two opposite edges of the tetrahedron formed by the planes y+z=0, z+x=0, x+y=0,
 - x+y+z=a is $\frac{2a}{\sqrt{6}}$ and that the three lines of shortest distance intersect at the point x = y = z = -a.

(g) Find the equation to the cylinder generated by the lines drawn through the points of the circle

x + y + z = 1, $x^2 + y^2 + z^2 = 4$ which are

parallel to the line $\frac{x}{2} = \frac{y}{-1} = \frac{z}{2}$.

(h) A variable plane is parallel to the given

plane $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 0$ and meets the axes

in A, B, C respectively. Prove that the circle ABC lies on the cone

$$yz\left(\frac{b}{c} + \frac{c}{b}\right) + zx\left(\frac{c}{a} + \frac{a}{c}\right) + xy\left(\frac{a}{b} + \frac{b}{a}\right) = 0.$$

Show that the shortest distance between any two opposite edges of the tetrahedron formed by the planes

- (c) If $(at_1^2, 2at_1)$ and $(at_2^2, 2at_2)$ are the extremities of any focal chord of the parabola $y^2 = 4ax$, then prove that $t_1t_2 = -1$. conic the point on the conic
- (d) Find the centre and foci of the hyperbola $x^2 - y^2 = a^2$.
- Find where the line $\frac{x-1}{2} = \frac{y-2}{-3} = \frac{z+3}{4}$ O1=8×2 meets the plane x+y+z=3. were
- 3. Answer any four: 5×4=20 and adpasses through the curve of intersection
 - od (a) If by transformation from one set of rectangular axes to another with the same origin the expression ax + bychanges to a'x' + b'y', prove that $a^2 + b^2 = a'^2 + b'^2$.

- (b) Prove that the equation $ax^{2} + 2hxy + by^{2} + 2gx + 2fy + c = 0$ represents a pair of parallel straight The lines, if $\frac{a}{h} = \frac{h}{h} = \frac{g}{f}$ and $\frac{a}{h} = \frac{g}{f}$
- (c) Find the condition that line $\frac{1}{r} = A\cos\theta + B\sin\theta$

may touch the conic $\frac{l}{r} = 1 - e \cos \theta$.

- (d) Find the equation to the plane which cuts $x^2 + 4y^2 - 5z^2 = 1$ in a conic whose centre is the point (2,3,4).
 - Show that the equation to the cone whose vertex is origin and base is

and the base slodered is
$$f\left(\frac{kx}{z}, \frac{ky}{z}\right) = 0$$
.